

MATERIAL SAFETY DATA SHEET

Page 1 of 4

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

TRADE NAME: VEROLTRA LIFTING POWDER COLORS

DISTRIBUTOR NAME:

SABRE Corporation

EMERGENCY #: (800) 584-8038 - 24 hours

INFORMATION #: (203) 656-7859 (8:30 am– 5:00 pm)

DISTRIBUTOR' s address
75 South Creek Rd.
Dee Why 2009
NSW Australia
Telephone :+61 29982 0100
1300 764 437
Fax:+61 2 9972 0689

Manufacturer's name: Joico Laboratories.

Local EMERGENCY:
Poisons Information Center Australia – 131126; New Zealand – 03 4747000

PREPARED: March 1, 2010

CURRENT MSDS UPDATE:

SECTION 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

CHEMICAL NAME(S)	CAS NUMBER	TLV-TWA	PEL	OTHER LIMITS RECOMMENDED
Ammonium Persulfate	7727-54-0			
Potassium Persulfate	7727-54-0			
Silica	7631-86-9	10 mg/m3	6mg/m3	
Sodium Silicate	1344-09-8			

Toxicity: Gleason Toxicity Rating: 3 (Glosselin, Hodge, Smith and Gleason).
Moderately Toxic if ingested.

SECTION 3. HAZARDS IDENTIFICATION

Physical/chemical hazards: The data available do not support any physical or chemical hazard.
Human health hazards: The data available do not support any adverse human health hazard.
Environmental hazards : The data available do not support any environmental hazard.

SECTION 4. FIRST-AID MEASURES

VEROLTRA LIFTING POWDER COLORS

MATERIAL SAFETY DATA SHEET

Page 2 of 4

Skin Contact: SKIN IRRITANT.

Eye Contact: EYE IRRITANT. IRRITATING TO THE MUCOUS MEMBRANE OF THE EYES. WHEN THE POWDER IS MIXED WITH HYDROGEN PEROXIDE, THE MIXTURE MAY CAUSE SEVERE IRRITATION AND POSSIBLE PERMANENT EYE INJURY.

Inhalation: RESPIRATORY SYSTEM IRRITANT. IRRITATING TO THE MUCOUS MEMBRANE OF THE RESPIRATORY SYSTEM. MAY TRIGGER ASTHMATIC ATTACK IN SENSITIVE INDIVIDUALS.

Ingestion: MODERATELY TOXIC.

Medical Conditions Generally Aggravated by Exposure: WILL BE RELATED TO THE PRIMARY TOXIC (PHARMACOLOGIC) EFFECT OF THIS MATERIAL; PRE-EXISTING DERMATITIS WOULD LIKELY BE MADE WORSE BY A SKIN IRRITANT, BRONCHITIS IS AGGRAVATED BY IRRITANT GASES OR PARTICLES IN THE AIR. ASTHMATIC ATTACKS MAY BE TRIGGERED IN SENSITIVE INDIVIDUALS.

First-aid measures

Inhalation: For any signs of breathing difficulty or shortness of breath, remove person to fresh air. Increase ventilation. Seek IMMEDIATE medical attention.

Skin contact : Wash skin immediately with soap and water (do not use solvents). Change into clean clothing if spilled on clothes. Should allergic reaction develop, consult dermatologist.

Eye contact: Remove contact lenses, if used. Flush with water for 15 minutes immediately. Get medical attention IMMEDIATELY.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media: ABC ALL PURPOSE EXTINGUISHER, WATER, WATER FOG. EXCESS OF WATER OR WATER FOG SHOULD BE USED UNTIL IT STOPS SMOKING.

Special Fire Fighting Procedures: TREAT AS A STRONG OXIDIZING MATERIAL. DECOMPOSES TO OXYGEN WHICH MAY INTENSIFY FIRE IN COMBUSTIBLE SURROUNDINGS.

Unusual Fire & Explosion Hazards: CAUTION! OXIDIZERS! EXPLOSIVE HAZARD WHEN MIXED WITH FINELY POWDERED ORGANIC MATTER, METAL, POWDER, OR REDUCING AGENTS.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions : Wear suitable protective clothing, gloves and eye/face protection.

Spill or Leak Procedures: SWEEP UP GENTLY (TO AVOID DUSTING) AND PLACE IN A CLEAN, DRY, WATER- TIGHT NON METALLIC CONTAINER FOR DISPOSAL. **DO NOT MIX WITH OTHER WASTE. CAUTION: MIXING BLEACH POWDER WITH ORGANIC MATERIALS SUCH AS PAPER, TOWELS, CLOTHING, PARTICULARLY IF IT IS DAMP, MUST NOT BE DONE.**

SECTION 7. HANDLING AND STORAGE

KEEP IN COOL DRY AREA. AREA SHOULD BE CLEAN AND DRY. AVOID IMPACT, CONTAMINATION, AND REDUCING AGENTS SUCH AS WAVING LOTIONS. **DO NOT STORE BLEACH POWDER AFTER IT HAS BEEN MIXED WITH DEVELOPER OR HYDROGEN**

MATERIAL SAFETY DATA SHEET

Page 3 of 4

PEROXIDE SOLUTIONS. THE CONTAINER MAY RUPTURE. AVOID DAMP ORGANIC MATERIALS LIKE PAPER TOWELS, WOOD, CLOTHING, ETC. SPONTANEOUS COMBUSTION OF ORGANIC MATERIALS MAY RESULT. RESEAL PLASTIC BAG AND CANISTER TOP TIGHTLY. KEEP OUT OF REACH OF CHILDREN.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection: UNDER NORMAL CONDITIONS OF USE, NONE REQUIRED.

Ventilation: VENTILATION SHOULD BE ADEQUATE TO AVOID BUILD-UP OF IRRITATING CONCENTRATIONS.

Protective Clothing: RUBBER OR PLASTIC GLOVES SHOULD BE WORN TO AVOID SHIN IRRITATION.

Eye Protection: NONE REQUIRED UNDER NORMAL CONDITIONS OF USE.

Other Precautions: READ AND FOLLOW ALL LABEL DIRECTIONS. USE ONLY AS DIRECTED.

Storage and Handling: KEEP IN COOL DRY AREA. AREA SHOULD BE CLEAN AND DRY. AVOID IMPACT, CONTAMINATION, AND REDUCING AGENTS SUCH AS WAVING LOTIONS. **DO NOT STORE BLEACH POWDER AFTER IT HAS BEEN MIXED WITH DEVELOPER OR HYDROGEN PEROXIDE SOLUTIONS. THE CONTAINER MAY RUPTURE. AVOID DAMP ORGANIC MATERIALS LIKE PAPER TOWELS, WOOD, CLOTHING, ETC. SPONTANEOUS COMBUSTION OF ORGANIC MATERIALS MAY RESULT. RESEAL PLASTIC BAG AND CANISTER TOP TIGHTLY. KEEP OUT OF REACH OF CHILDREN.**

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Free flowing powder with blue particles
Color:	White
Odor:	Characteristic odor
Molecular weight:	N/A
Boiling point:	N/A
Melting point:	N/A
Density:	N/A
Vapour density (air=1):	N/A
Vapor pressure :	N/A
Specific gravity (H₂O=1):	N/A
Solubility in water:	Insoluble, some disperability
Octanol/water partition:	N/A
Coefficient pH:	N/A.
Flash point:	N/A
Explosion properties :	N/A.

SECTION 10. STABILITY AND REACTIVITY

Product Stability: UNSTABLE.

Conditions to Avoid: HEAT, MOISTURE, AND REDUCING AGENTS, SUCH AS WAVING LOTIONS. AVOID IMPACT. DO NOT SUBJECT TO FRICTION. MAY BUILD STATIC ELECTRICAL CHARGES.

MATERIAL SAFETY DATA SHEET

Page 4 of 4

Chemical Incompatibility: ACIDS, ALKALIS, HALIDES, HEAVY METALS, AND COMBUSTIBLE MATERIALS. DO NOT USE METALLIC BOWLS OR STIRRERS.

Hazardous Decomposition Products: AMMONIA, OXYGEN, OZONE, AND FUMES OF SULFURIC ACID.

Hazardous Polymerization: WILL NOT OCCUR.

Conditions to Avoid: REDUCING MATERIALS, ORGANICS, AND HEAVY METALS.

SECTION 11. TOXICOLOGICAL INFORMATION

Toxicity: Gleason Toxicity Rating: 3 (Gosselin, Hodge, Smith and Gleason) Moderately toxic if ingested.

Acute toxicity: N/A

Dermal: Repeated exposure may cause skin dryness or cracking.

Eye irritation: May be irritating.

SECTION 12. ECOLOGICAL INFORMATION

No ecological information is known on the product.

SECTION 13. DISPOSAL CONSIDERATIONS

Methods of disposal: Disposal should be in accordance with all applicable Local, State and Federal Regulations.

Other Precautions: DO NOT GENERATE DUST WHEN TRANSFERRING AND HANDLING.

SECTION 14. TRANSPORT INFORMATION

DOT Information :

DOT Proper Shipping name: Consumer Commodity.

DOT Hazard Class: ORM-D.

SECTION 15. REGULATORY INFORMATION

Not Classified as hazardous according to criteria of Worksafe Australia.

SECTION 16. SUPPLIER INFORMATION

The information contained herein is, to the best of our knowledge and belief, accurate and reliable

MATERIAL SAFETY DATA SHEET

Page 5 of 4

as of the date issued. We do not however, warrant or guarantee the accuracy or reliability, nor shall we be liable for any loss or damage arising out of the use thereof. The information is offered for the user's consideration and examination, and it is the user's responsibility to satisfy himself that it is suitable and complete for his particular use.

Abbreviations:

Na (N/A): Not Available
UNK: Unknown
NE (N/E):Not Established
ND (N/D):Not Determined